

A tall oil and gas drilling rig stands in a field of green grass under a clear blue sky. The rig is composed of a white base with blue accents, a yellow derrick, and a red top section. The background shows a clear blue sky and a line of green bushes in the foreground.

Oil and Gas *Services*


ENVIROTX
ROADWAY AND SITE SOLUTIONS SINCE 1993

WWW.ENVIROTX.COM

Oil and Gas Products

Never Settle.

Regardless of what your project needs are, our team at Envirotx can fully customize a solution for you. That is just one way Envirotx stands out from the rest. We make sure our products and services work right the first time.



Clay Control

IntegriFluid M

IntegriFluid Max 5

IntegriFluid Max 10

Dust Control

IntegriBlend M

IntegriBlend 80/20 & 70/30 CS

Cementing Salts

Available

Our line of high-performance and all-natural fluids are ideal for preventing clay swelling and fines migration. We have solutions that are specifically designed to prevent the hydration of “reactive” clays, resulting in improved production and lowered project expenses.

In addition to our clay control solutions, we offer a unique and customizable line of dust control products, heavy brines, and cementing salts for your oil and gas services needs.

Clay Control Fluids

IntegriFluids

Make sure you're maximizing your productivity and preventing cost increases with Envirotox IntegriFluids clay control fluids. Migrating fines and the swelling of clay is costly. Our product prevents Clay Swelling and Fines Migration by exchanging cations in clay and shale to reduce their susceptibility to absorb and react with water. Our highly effective clay control is for use in fracturing and other well interventions. **Compatible with all known kill, acidizing, and fracturing additives.**

Available for: Totes, Truckloads, Rail Car Quantities

Physical Properties

Specific Gravity : 1.30 ± 0.02	Density : 10.85 (lbs/gal) ± 0.25	Color : Colorless to Amber
Boiling Point: 107.22°C	Hazardous : N/A	Freezing Point : -18.33°C
		pH : 7 - 9

IntegriFluids Max 5 and Max 10

The IntegriFluids Max line of clay control fluids are engineered fluids designed for superior clay control targeted at preventing both fines migration and hydration of reactive clays (swelling). The IntegriFluids Max line has all-natural, dual functional biopolymers that both encapsulate and interact with reservoir colloids, allowing for the optimization of completion fluids by combating two issues with one product. IntegriFluids Max 5 and IntegriFluids Max 10 are unique functionalized fluids that are specifically designed to control clay swelling and fines migration. The electronically optimized substituents engineered on our biopolymer backbone electronically interacts with clays, anchoring the molecule for the encapsulation process. **The IntegriFluids Max line is proven to be a top performer at low treatment concentrations.**

Available for: Totes, Truckloads, Rail Car Quantities.


Features

- Improves production by reducing permeability.
- Minimize well bore damage and maximize production efficiency
- Prevents clay swelling and fines migration.
- Rapid capillary suction time and rapid clay inhibition.

DISCLAIMER: While the information and data contained herein are presented in good faith and believed to be reliable, nothing herein shall be deemed to constitute a warranty, express or implied, that the information or data is reliable, accurate, or complete or that the products described herein are merchantable or fit for a particular purpose or that said information, data, or products can be used without infringing the intellectual property rights of third parties. Individuals who receive the products or the information or data relating to the products described herein, must use their own judgment in determining fitness for a particular purpose. Unless otherwise stated, the information or data contained herein relates to the products when not used in conjunction with any other products or materials. Envirotox Corporation and its affiliates disclaim all express and implied warranties of merchantability, fitness for a particular purpose, and non-infringement. Envirotox Corporation shall not be liable for any loss or damage that may occur from the use of the products described herein, including the use of the products in conjunction with other products or materials, or reliance on the data or information described herein.

Clay Control Fluids


Capillary Suction Time Ratio




These are compiled CST results from multiple Envirotx clay control products compared to multiple percentag-es of KCl. The fluids were evaluated using samples from the Wolfcamp shale formation in Texas.

CST results indicate IntegriFluids Max 10 is the strongest performer at reducing CST when compared to the standard percentages of KCl. IntegriFluids Max 5 was the second strongest performer in this regard.

Contact Angle Sample 1 Composite Plot



Sessile Volume Sample 1 Composite Plot



Confidential: The information contained herein is based on data considered accurate with representative samples. However, no warranty is expressed or implied regarding the accuracy of this data or the results to be obtained from the use thereof. The above data does not imply specifications for this product. Envirotx Corporation assumes no responsibility for personal injury or property damage to vendees, users or third parties, caused by the material. Such vendees or users assume all risks associated with the use of the material. Consult the Material Safety Data Sheet before using this product.

Road Stabilization Solutions

Ideal for Leased Roads and Pad Sites

IntegriBlend M

IntegriBlend M is created through a three year process, beginning with ponds flooded with water from the Great Salt Lake. The water is then evaporated using solar power to harvest salt and potash. The magnesium chloride left after the evaporation is then pumped under the lake in an open trench and stored until use. From reduced aggregate replacement to lower maintenance costs to greater dust control, IntegriBlend M treats your roads better. And that means your roads will start treating your budget better too.

Available for: *Totes, Truckloads, Rail Car Quantities.*

IntegriBlend 70/30 CS and 80/20 CS

Blends of IntegriBlend liquid magnesium chloride and complex sugars. These blends are all-natural, environmentally friendly solutions for road stabilization and dust control. They are also eco-friendly and budget smart. Studies show that entities using IntegriBlend 80/20 CS or 70/30 CS as part of their gravel road maintenance program can cut up to 60% of their gravel replacement and blading costs.

Available for: *Totes, Truckloads, Rail Car Quantities*



Envirotx also offers a wide selection of solar, trace, and mined salts. Intended for use as a weighting agent in drilling fluids, and in workover and completion fluids. Drilling fluids, when fully saturated with salt, will not be absorbed into or dissolve underground salt deposits during drilling.

DISCLAIMER: While the information and data contained herein are presented in good faith and believed to be reliable, nothing herein shall be deemed to constitute a warranty, express or implied, that the information or data is reliable, accurate, or complete or that the products described herein are merchantable or fit for a particular purpose or that said information, data, or products can be used without infringing the intellectual property rights of third parties. Individuals who receive the products or the information or data relating to the products described herein, must use their own judgment in determining fitness for a particular purpose. Unless otherwise stated, the information or data contained herein relates to the products when not used in conjunction with any other products or materials. Envirotx Corporation and its affiliates disclaim all express and implied warranties of merchantability, fitness for a particular purpose, and non-infringement. Envirotx Corporation shall not be liable for any loss or damage that may occur from the use of the products described herein, including the use of the products in conjunction with other products or materials, or reliance on the data or information described herein.

Request more product info in person, online, or by phone.


Quality Since 1964

Honesty | Integrity | Commitment

Our Envirotx family is dedicated to creating and distributing the best and most natural products they possibly can. Because we all know mother nature knows best, we only provide you with liquid and granular products that meet our high standards. We won't settle for anything less, and neither should our customers.

Every product we offer is always created carefully and with you in mind. We are dedicated to providing you with a fully customizable line of products that we can tailor to your oil and gas needs. Envirotx strives to provide you with the most natural products available, in order to prevent any form of contamination from happening.

If you're not entirely sure which product would be the best for your needs, don't hesitate to contact us by phone, in person, or online through email and social media. We will be happy to help you in any way we possibly can.



American
Made

In search of more?

From Animal Nutrition to Deicing Treatments,
we have you covered.



Dust Control

When it's dry and dusty, stretch your maintenance dollars, reduce traffic concerns, and increase health and safety with our IntegriBlend Solutions.



Deicing

From a light blanket of snow to extreme blizzards, each storm has unique challenges that require unique solutions. From bulk sodium or designer ice melt, we have a solution for you.



Animal Nutrition

Who better than mother nature to provide your livestock with nutritional supplements. At Envirotx, we strive to give you the purest form of the supplements your animals need to thrive and grow happily.



Concrete Treatment

From parking lots to poolside, we have you covered. Our line of concrete treatments work from the inside out, creating strong bonds from internal chemical reactions once they are applied.

**Want to know more about these product lines?
Request catalogs or go online!**

ENVIROTX.COM | 1-512-779-4055

Oil and Gas Services

